EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	wo adj "0237369"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:30
L2	2	"20010055038"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:32
S1	23581333	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/20 14:51
S2	1158	(icon$4 imag$4 picture) near10 (call$4 near4 (id number identif $6)) with (mobile cellular $phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/20 14:53
S3	17	(icon$4 imag$4 picture) near10 (call$4 near4 (id number identif $6)) with (mobile cellular $phone) with ((electronic email $mail) near4 messag$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/20 14:54
S4	793	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/20 14:54
S5	793	S1 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/20 14:55
S6	5	S1 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/20 14:55
S7	26150262	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:28

S8	351	((incoming receiv$4 recept$4) near5 message) with ((call$4 $phone) near3 (id number identity identif8)) with (icon$4 imag$4 photo$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:30
S9	152	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:30
S10	4	((incoming receiv$4 recept$4) near5 (email message$4)) same ((call$4 $phone) near3 (id number identity identif8)) same (icon$4 imag$4 photo$4) same (("not" prevent$4 avoid$4 block $4) near7 (name age$4 brithday))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 13:03
S11	20	((DAM near3 NIELSEN near3 PETER) (KRAFT near3 CHRISTIAN) (JUUL-PEDERSEN near3 GREGERS)).in. and (messag$4 same icon$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 13:06
S12	2	((DAM near3 NIELSEN near3 PETER) (KRAFT near3 CHRISTIAN) (JUUL-PEDERSEN near3 GREGERS)).in. and (messag$4 same icon$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 13:07
S13	34	((incoming receiv$4 recept$4) near5 (email message$4)) same (icon$4 imag$4 photo$4) same (("not" prevent$4 avoid$4 block $4) near7 (name age$4 brithday))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 13:10
S14	24	S7 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 13:10
S15	3	"20020094806"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 13:44
S16	20	((incoming receiv$4 recept$4) near5 (email message$4)) same ((call$4 $phone) near3 (id number identity identif8) with (match$4 compar$4 extract$4)) same (icon$4 imag$4 photo$4) same ((name age$4 brithday))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 14:36
S17	2	S7 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 14:37

S18	126	((incoming receiv$4 recept$4) near5 (email message$4)) same ((call$4 $phone) near3 (id number identity identif8) with (match$4 compar$4 extract$4)) same (icon$4 imag$4 photo$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 14:38
S19	58	S7 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 14:38
S20	1	wo adj "03041025"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 14:44
S21	19	((display$4 inform$4 notif$8) near5 (new arriv$4 incoming receiv$4 recept$4) near5 (email message$4)) same ((call$4 $phone) near3 (id number identity identif8) with (match$4 compar$4 extract$4)) same (icon$4 imag$4 photo$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 14:54
S22	8	S7 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 14:55
S23	286	((display$4 inform$4 notif$8) near5 (new arriv$4 incoming receiv$4 recept$4) near5 (email message$4)) same ((call$4 $phone) near3 (id number identity identif8)) same (icon$4 imag$4 photo$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 14:56
S24	113	S7 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 14:57
S25	129	((display$4 inform$4 notif$8) near5 (new arriv$4 incoming receiv$4 recept$4) near5 (email message$4)) with ((sms ((short multimedia) near3 messag$4) mms) near8 ((call$4 $phone) near3 (id number identity identif8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 15:44
S26	64	S7 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 15:45

S27	2	10/533245	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:29
S28	48	((display$4 alert$4 detect$4) near10 ((new arriva$4 incoming receiv$4 recept$4) near5 (mail email message$4))) same ((call $4 $phone) near3 (address$4 id number identity identif8)) with (match$4 compar$4 extract$4) same (icon$4 imag$4 photo$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:35
S29	28	S7 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:35
S30	296	(takagi near3 toru).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:42
S31	189	S7 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:42
S32	4	"6604045".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:43
S33	1	((TODOROKI near3 TSUTOMU) (TAKAGI near3 TORU) (MURAMATSU near3 TOSHIRO) (HIROSE near3 SATORU)).in. and (messag$4 same (phone near3 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:45
S34	1	((incoming receiv$4 recept$4) near5 (email message$4)) same (icon$4 imag$4 photo$4) same (without near7 display$4 near7 (name age$4 brithday))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:47
S35	12	((incoming receiv$4 recept$4) near5 (email message$4)) same (without near7 display$4 near7 (name age$4 brithday))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:48
S36	6	S7 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 16:48

S37	19	((display$4 alert$4 notif$8) near9 ((arriv$4 new incoming receiv$4 recept$4) near5 (email message$4 mail))) with ((without "not") near7 (name age$4 brithday))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 17:10
S38	15	S7 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 17:10
S39	231	((arriv$4 new incoming receiv$4 recept$4) near5 (email message $4 mail)) with ((without "not") near7 (name age$4 (date near2 birth)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 17:14
S40	134	S7 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 17:14
S41	271877	"455"/$.ccls. or "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 17:16
S42	31	S40 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 17:16
S43	2	(messag$4) with ((without "not") near7 display$4 near7 (name age$4 (date near2 birth))) with (mobile $phone pda portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 17:18
S44	85	((incoming receiv$4) near6 messag$4) with ((without "not") near7 (show$4 display$4) near7 (name age (date near2 birth information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 17:20
S45	53	S7 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 17:21
S46	26150262	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 05:52
S47	695	((new alert$4 incoming receiv$4 display$4 arriva$4) near5 messag$4) with (without near6 (name$4 age gender address $4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 05:54

S48	77	((new alert$4 incoming receiv$4 display$4 arriva$4) near5 messag$4) with (without near6 (name$4 age gender address $4)) with (mobile $phone pda portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 05:55
S49	28	S46 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 05:56
S50	1	"200182575"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 05:57
S51	1	wo adj "0182575"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 05:58
S52	128	((new alert$4 incoming receiv$4 display$4 arriva$4) near5 messag$4) with (without near6 (name$4 age gender))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 06:01
S53	142122	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 06:01
S54	86	S46 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 06:01
S55	49	((alert$4 display$4 notif$8) near10 ((new incoming receiv$4 arriva$4) near6 messag$4)) with (without near6 (name$4 age gender identity identif$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 06:21
S56	27	S46 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 06:21
S57	79	((alert$4 display$4 notif$8) near10 (new incoming receiv$4 arriva$4) near6 (email e-mail mail messag$4))) same (("not" without) near8 (show$4 display $4 notif$4) near9 (name$4 age gender identity identif$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 06:32

S58	51	S46 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 06:32
S59	117	((new incoming receiv$4 arriva $4) near6 (email e-mail messag$4)) same (("not" without) near8 (show$4 display $4 notif$4) near9 (name$4 age gender identity identif$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 06:48
S60	71	S46 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/19 06:48
S61	5	"2002009480"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 08:36
S62	3	"20020094806"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 08:36
S63	26150658	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:24
S64	1	((receiv$4 incoming$4) near5 messag$4) with ((icon$4 imag $4 photo pictur$4) same (without "not") near8 name$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:26
S65	34	((receiv$4 incoming$4) near5 messag$4) same (icon$4 imag $4 photo pictur$4) same ((without "not") near8 name$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:27
S66	7	S63 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:27
S67	10	((receiv$4 incoming$4) near5 call$4) same (icon$4 imag$4 photo pictur$4) same ((without "not") near8 name$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:30
S68	2	S63 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:30

S69	235	((receiv$4 incoming$4) near5 call$4) same (icon$4 imag$4 photo pictur$4) and ((without "not") near8 name$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:31
S70	19	((receiv$4 incoming$4) near5 call$4) same (icon$4 imag$4 photo pictur$4) and ((without "not") near7 display$4 near8 name$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:31
S71	4	S63 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:32
S72	87	((receiv$4 incoming$4) near5 (messag$4 call$4)) same (icon $4 imag$4 photo pictur$4) and ((without "not") near12 display $4 near12 name$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:33
S73	41	S63 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 09:33
S74	26150658	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:37
S75	29	((new alert$4 incoming receiv$4 display$4 arriva$4) near5 call $4) same (icon$4 imag$4 photo picture$4) same ((without "not") near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:39
S76	15	S74 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:39
S77	105	((incoming receiv$4 arriva$4) near5 call$4) with (icon$4 imag $4 photo picture$4) and ((without "not") near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:42
S78	87	((incoming receiv$4 arriva$4) near5 call$4) with (icon$4 imag $4 photo picture$4) and ((without "not") near8 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:42
S79	43	S74 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:42

S80	26	((incoming receiv$4 arriva$4) near5 call$4) with ((without "not") near8 (show$4 display$4) near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:50
S81	2765320	S74 and "27"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:51
S82	15	S74 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:51
S83	33	((incoming receiv$4 arriva$4) near5 call$4) same ((without "not") near8 (show$4 display$4) near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:57
S84	19	S74 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:57
S85	244	((incoming receiv$4 arriva$4) near5 call$4) same (priva$4 with name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:01
S86	181	S74 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:02
S87	3204	((incoming receiv$4 arriva$4) near5 call$4) same ((show$4 display$4) near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:07
S88	11	((incoming receiv$4 arriva$4) near5 call$4) same ((avoid$4 prevent$4) near12 (show$4 display$4) near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:07
S89	4	S74 and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:07
S90	234	(call$4 messag$4) same ((without "not") near8 (show$4 display$4) near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:10

S91	135	S74 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:10
S92	9	((ADACHI near3 TADASHI) (YOSHIDA near3 YUTAKA) (TERADA near3 RYOJI)).in. and (name same call$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:31
S93	169	(mobile $phone pda portable) same ((without "not") near8 (show$4 display$4) near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:37
S94	77	S74 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 16:37
S95	26150658	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 20:52
S96	234	(call$4 messag$4) same ((without "not") near8 (show$4 display$4) near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 20:52
S97	142122	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 20:53
S98	14	S95 and S96 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 20:53
S99	192	(incoming receiv$4) same ((without "not") near8 (show$4 display$4) near12 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 20:55
S100	109	S95 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 20:55
S101	4835	(call$4 messag$4) same ((block $4 prevent$4) near10 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 21:03

S102	653	((incoming$4 receiv$4 arriva$4) near5 (call$4 messag$4)) same ((block$4 prevent$4) near10 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 21:04
S103	395	S95 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 21:04
S104	26150658	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/21 03:01
S105	41213	((incoming receiv$4 recept$4) near5 (email mail call$4 e-mail message$4)) same ((without "not") near12 present$4 nea12 name$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/21 03:03
S106	9	((incoming receiv$4 recept$4) near5 (email mail call$4 e-mail message$4)) same ((without "not") near12 present$4 near12 name$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/21 03:04
S107	5	S104 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/21 03:04
S108	18	((incoming receiv$4 recept$4) near5 (email mail call$4 e-mail message$4)) same ((without "not") near12 present$4 near12 identif$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/21 03:05
S109	239	((incoming receiv$4 recept$4) near5 (email mail call$4 e-mail message$4)) same ((without "not") near12 (display$4 notif$8 present$4) near12 identif$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/21 03:06
S110	145	S104 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/21 03:06
S111	26150978	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:19
S112	15243	(icon$4 imag$4) with ((new incoming receiv$4) near5 (messag$4 mail$4 email$4 e-mail$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:20

S113	5076	(icon$4 imag$4) with ((new incoming receiv$4) near5 (messag$4 mail$4 email$4 e-mail$4)) with (display$4 notif$8 alert$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:21
S114	142199	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:21
S115	513	S111 and S112 and S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:22
S116	116	(icon$4 imag$4) with ((total number$4) near6 (new incoming unread$4 un-read$4 receiv$4) near5 (messag$4 mail $4 email$4 e-mail$4)) with (name$4 identity identif$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:36
S117	54	S111 and S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:36
S118	1428	(icon$4 imag$4) same ((display $4 notif$8 alert$4) near12 (new incoming unread$4 un-read$4 receiv$4) near5 (messag$4 mail $4 sms email$4 e-mail$4)) same (name$4 identity identif $4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:47
S119	383	(icon$4 imag$4) with ((display $4 notif$8 alert$4) near12 (new incoming unread$4 un-read$4 receiv$4) near5 (messag$4 mail $4 sms email$4 e-mail$4)) with (name$4 identity identif$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:47
S120	160	S111 and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 04:48
S121	86	((total number$4) near10 (unread$4 un-read$4) near5 (messag$4 mail$4 sms email$4 e-mail$4)) with (name$4 identity identif$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 05:06
S122	31	S111 and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 05:06

S123	302	((unread$4 un-read$4) near5 (messag$4 mail$4 sms email$4 e-mail$4)) with (name$4 identity identif$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 05:10
S124	142199	"455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 05:10
S125	11	S111 and S123 and S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 05:10
S126	329	((unread$4 un-read$4) near5 (messag$4 mail$4 sms email$4 e-mail$4)) same (name$4 identity identif$4 id number) same (mobile $phone pda portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 05:20
S127	93	S111 and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 05:21
S128	237	((unread$4 un-read$4) near5 (messag$4 mail$4 sms email$4 e-mail$4)) near12 (nam$4 (($4phone call$4) near3 (id number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 05:56
S129	104	S111 and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 05:56
S130	3100	((new) near5 (messag$4 mail$4 sms email$4 e-mail$4)) near12 (nam$4 (($4phone call$4) near3 (id number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:02
S131	215	(display$4 near8 (new near4 (messag$4 mail$4 sms email$4 e-mail$4)) near12 (nam$4 (($4phone call$4) near3 (id number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:03
S132	130	S111 and S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:03
S133	46	((display$4 presen$4) near7 (unread$4 un-read$4) near5 (messag$4 mail$4 sms email$4 e-mail$4)) near12 (nam$4 (($4phone call$4) near3 (id number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:16

S134	9	S111 and S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:17
S135	12159	((display$4 presen$4) near7 (number near6 call$4)) near12 (nam$4 (($4phone call$4) near3 (id number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:27
S136	1480	S111 and S124 and S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:27
S137	2878	((display$4 presen$4) near7 (number near6 call$4)) near12 (nam$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:28
S138	2155	((display$4 presen$4) near7 (number near6 call$4)) near12 (nam$4) with (mobile $phone pda portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:28
S139	326	S111 and S124 and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:29
S140	102	((display$4 presen$4) near7 (number near6 call$4)) near12 (nam$4) with (mobile $phone pda portable) with (icon$4 imag $4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:30
S141	26150978	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:31
S142	179	((display$4 presen$4) near7 (number near7 call$4)) with name with (icon$4 imag$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:35
S143	95	S141 and S142	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:35
S144	10	((total number) near7 (miss$4 near4 call$4)) with name with (icon$4 imag$4) same ($phone mobile pda portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:53

S145	3	S141 and S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:54
S146	9	((total number) near7 (miss$4 near4 call$4)) with name with (icon$4 imag$4) and "455"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:57
S147	2	S141 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:57
S148	15	((total number) near7 (miss$4 near4 call$4)) with (icon$4 imag$4) and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:58
S149	2	S141 and S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:58
S150	261	((total number) near7 (miss$4 near4 call$4)) and "455"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 06:59
S151	95	S141 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 07:00
S152	1	11/332660	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 08:42
S153	26150978	@ad<="20021031" or @rlad<="20021031" or @ptad<="20021031" or @pt1d<="20021031" or @pt3d<="20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 09:43
S154	186	((new unread$4 un-read$4) near5 (messag$4 sms call$4)) with (nam$4 ((call$4 $phone) near3 number id)) with (icon$4 imag$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 09:46
S155	82	S153 and S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 09:47

S156	2	"6728782".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 09:49
S158	4337	((number$4 total$4) near7 ((new unread$4 un-read$4) near5 (messag$4 sms call$4)) with (nam$4 ((call$4 $phone) near3 number id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:00
S159	41	((number$4 total$4) near7 ((new unread$4 un-read$4) near5 (messag$4 sms call$4)) with (nam$4 ((call$4 $phone) near3 number id)) same icon$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:01
S160	21	S153 and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:01
S161	3	"20020094806"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:23
S162	27	(add added creat$4) near9 (new near12 (icon$4 imag$4) near12 (($phone call$4) near4 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:40
S163	0	S153 and S162	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:41
S164	119	(new near12 (icon$4 imag$4) near12 (($phone call$4) near4 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:41
S165	58	S153 and S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:41
S166	2	"6333973".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:34
S167	0	((incoming$4 receiv$4) near5 (messag$4 email$4 mail$4)) with (defaul near3 (icon$4 imag $4) with (match$4 correspond $4) near13 (($phone call$4) near4 (id number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:48

S168	0	((incoming$4 receiv$4) near5 (messag$4 email$4 mail$4)) same (defaul near3 (icon$4 imag$4) same (match$4 correspond$4) near13 (($phone call$4) near4 (id number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:49
S169	0	(defaul near3 (icon$4 imag$4) same (match$4 correspond$4) near13 (($phone call$4) near4 (id number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:49
S170	0	(defaul near3 (icon$4 imag$4)) same ((match$4 correspond$4) near13 (($phone call$4) near4 (id number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:49
S171	0	((incoming$4 receiv$4) near5 (messag$4 email$4 mail$4)) same (defaul near3 (icon$4 imag $4)) same (($phone call$4) near4 (id number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:50
S172	2	10/533245	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 14:10
S173	3	"20020094806"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 14:59
S174	2	"6333973".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 15:13
S175	3	"20020094806"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 18:17
S176	3	"20030050086"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 09:11
S177	3	"20020094806"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 10:17
S178	2	"6771974".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 12:06

S179	2	"6333973".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 12:11
S180	2	"20020126146"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 12:24
S181	2	"5907604".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:10

12/23/09 3:36:21 PM
C:\ Documents and Settings\ dphuong\ My Documents\ EAST\ Workspaces\ 10533245.wsp